Practice Question Set For A-Level
Subject : Physics
Paper-1 Topic: Measurement And Their Errors


Merit Minds
www.merit-minds.com
Exam Preparation and Free Resources

Name of the Student:_____
Max. Marks : 20 Marks **Time : 20 Minutes**

Q1.

(a) **Figure 1** shows a micrometer screw gauge.

Figure 1



What is the reading on the micrometer?

Tick ✓ **one** box.

6.25 ☐

6.75 ☐

7.25 ☐

8.25 ☐

Downloaded from www.merit-minds.com

(1)

(b) A metal wire of diameter d is held in the gap between the anvil and the spindle.
Just before the reading of d is taken, the gap is closed using the ratchet and not the thimble.

Explain why the gap is closed in this way.

_____

_____

_____

(1)

(c) The mass per unit length μ of the metal wire is given by

$$\mu = \frac{\pi \rho d^2}{4}$$

where ρ is the density of the metal.

Values of d and μ are used to calculate ρ.

The percentage uncertainty in d is 1.2%.
The percentage uncertainty in μ is 2.0%.

Calculate the percentage uncertainty in the result for ρ.


percentage uncertainty = _____ %

(2)

Figure 2 shows apparatus used to investigate how the frequency of stationary waves on a wire depends on its diameter d.

Figure 2

Downloaded from www.merit-minds.com



When the signal generator is switched on, the horizontal part of the wire oscillates.

A student changes the frequency until the first-harmonic stationary wave is produced. The student records the frequency f of the first harmonic and then turns off the signal generator.
She removes the wire and measures d using a micrometer.

She then repeats the experiment for wires of different diameter.

(d) The wires used in the experiment are made of the same metal so that ρ is a control variable.

State **two** other control variables in the experiment.

1 _____

_____

2 _____


_____

(2)

Figure 3 is a plot of the experimental data.

Figure 3

Downloaded from www.merit-minds.com



(e) The student suggests that $f \propto \frac{1}{d}$.

Deduce, using data points from **Figure 3**, whether this suggestion is correct.

_____

_____

_____

(2)

(f) Another student repeats the experiment with the mass of **M** doubled.

Explain how this student's plotted data compare with **Figure 3**.

_____

_____

_____

_____

(2)


Downloaded from www.merit-minds.com

(Total 10 marks)

Q2.

Figure 1 shows an arrangement used to investigate projectile motion of a ball.

Figure 1



The ball is placed on the track at the release point.
The ball is released from rest from a vertical distance h above the table.

When the ball reaches the end of the track, it is a vertical distance H above the horizontal floor.
The ball leaves the track horizontally and lands on the floor at a horizontal distance x from the end of the track.

(a) To measure x a student must locate a point **P** on the floor vertically below the end of the track.

Describe a procedure to locate **P**.
You may add detail to **Figure 1** to illustrate your answer.

_____

_____

_____

_____

(1)


(b) A ruler, graduated in mm, is used to determine x.
The student places the ruler on the floor with the zero graduation aligned with **P**.

Downloaded from www.merit-minds.com

The student determines x when the ball is released six times at a particular value of h.
He makes marks on the floor where the ball lands.

Figure 2 shows circles that indicate these marks.

Figure 2



Determine x for this value of h.


x = _____ mm

(3)

(c) The student obtains values of x corresponding to other values of h.
Figure 3 shows his results.

Figure 3

Downloaded from www.merit-minds.com



It can be shown that $\frac{x^2}{H} = \frac{20}{7}h$


Determine H.

H = _____ m

(3)

In a different arrangement, the ball is released from rest and then continues to roll at a constant velocity across a horizontal table, as shown in **Figure 4**.

Figure 4



Downloaded from www.merit-minds.com

The bottom of the track is fixed to the table at point **Q**.
The angle between the straight part of the track and the table is α.
A marker is placed at **R**, a point midway between **Q** and the edge of the table.

The student uses a stopwatch to measure the time t for the ball to roll from **Q** to **R**.

(d) Explain why increasing the distance **QR** will reduce the percentage uncertainty in t.

_____


_____

_____

(1)

(e) **Figure 5** shows values of t for different values of α.

Figure 5



At a particular value of α the ball rolls from **Q** to **R** at its maximum velocity.

Explain how the student should use **Figure 5** to determine this value of α.
Go on to suggest what further readings should be taken to reduce the uncertainty in this value of α.

_____

_____

_____

_____

Downloaded from www.merit-minds.com

_____

_____

_____

(2)

(Total 10 marks)

Downloaded from www.merit-minds.com