Name of the Student:_____
Max. Marks : 27 Marks **Time : 27 Minutes**

Mark Schemes

Q1.

(a) Burette

1

Because it can deliver variable volumes

1

(b) The change in pH is gradual / not rapid at the end point

1

An indicator would change colour over a range of volumes of sodium hydroxide

Allow indicator would not change colour rapidly / with a few drops of NaOH

1

(c) $[H^+] = 10^{-pH} = 1.58 \times 10^{-12}$

1

$K_w = [H^+]\,[OH^-]$ therefore $[OH^-] = K_w / [H^+]$

1

Therefore, $[OH^-] = 1 \times 10^{-14} / 1.58 \times 10^{-12} = 6.33 \times 10^{-3}$ (mol dm^{-3})

Allow 6.31–6.33 × 10^{-3} (mol dm^{-3})

1

(d) At this point, $[NH_3] = [H^+]$

Therefore $K_a = \dfrac{[H^+]^2}{[NH_4^+]}$

1

$[H^+] = 10^{-4.6} = 2.51 \times 10^{-5}$

1

$K_a = (2.51 \times 10^{-5})^2 / 2 = 3.15 \times 10^{-10}$ (mol dm^{-3})

Allow 3.15 – 3.16 × 10^{-10} (mol dm^{-3})

1

(e) When $[NH_3] = [NH_4^+]$, $K_a = [H^+]$ therefore $-\log K_a = -\log [H^+]$

Answer using alternative value

1

Therefore $pH = -\log_{10}(3.15 \times 10^{-10}) = 9.50$

M2 $pH = -\log_{10}(4.75 \times 10^{-9}) = 8.32$

Allow consequential marking based on answer from part (d)

1

[12]

Downloaded from www.merit-minds.com

Q2.

(a) This question is marked using levels of response. Refer to the Mark Scheme Instructions for Examiners for guidance on how to mark this question.

All stages are covered and the explanation of each stage is generally correct and virtually complete.

Answer is communicated coherently and shows a logical progression from stage 1 and stage 2 to stage 3. Steps in stage 3 must be complete, ordered and include a comparison.

Level 3
5 – 6 marks

All stages are covered but the explanation of each stage may be incomplete or may contain inaccuracies OR two stages are covered and the explanations are generally correct and virtually complete.

Answer is mainly coherent and shows a progression from stage 1 and stage 2 to stage 3.

Level 2
3 – 4 marks

Two stages are covered but the explanation of each stage may be incomplete or may contain inaccuracies, OR only one stage is covered but the explanation is generally correct and virtually complete.

Answer includes some isolated statements, but these are not presented in a logical order or show confused reasoning.

Level 1
1 – 2 marks

Insufficient correct Chemistry to warrant a mark.

Level 0
0 marks

Indicative Chemistry content

Stage 1: difference in structure of the two acids
- The acids are of the form RCOOH
- but in ethanoic acid R = CH_3
- whilst in ethanedioic acid R = COOH

Stage 2: the inductive effect
- The unionised COOH group contains two very electronegative oxygen atoms
- therefore has a negative inductive (electron withdrawing)effect
- The CH_3 group has a positive inductive (electron pushing) effect

Stage 3: how the polarity of OH affects acid strength
- The O–H bond in the ethanedioic acid is more polarised / H becomes more δ^+
- More dissociation into H^+ ions
- Ethanedioic acid is stronger than ethanoic acid

6

(b) Moles of NaOH = Moles of $HOOCCOO^-$ formed = 6.00×10^{-2}

Extended response

1

Moles of HOOCCOOH remaining = $1.00 \times 10^{-1} - 6.00 \times 10^{-2}$

$= 4.00 \times 10^{-2}$

1

Downloaded from www.merit-minds.com

$K_a = [H^+][A^-] / [HA]$

$[H^+] = K_a \times [HA] / [A^-]$

1

$[H^+] = 5.89 \times 10^{-2} \times (4.00 \times 10^{-2} / V) / (6.00 \times 10^{-2} / V) = 3.927 \times 10^{-2}$

1

$pH = -\log_{10}(3.927 \times 10^{-2}) = 1.406 = 1.41$

Answer must be given to this precision

1

(c) $5H_2C_2O_4 + 6H^+ + 2MnO_4^- \longrightarrow 2Mn^{2+} + 10CO_2 + 8H_2O$

OR $5C_2O_4^{2-} + 16H^+ + 2MnO_4^- \longrightarrow 2Mn^{2+} + 10CO_2 + 8H_2O$

1

Moles of $KMnO_4 = 20.2 \times 2.00 \times 10^{-2} / 1000 = 4.04 \times 10^{-4}$

1

Moles of $H_2C_2O_4 = 5 / 2 \times 4.04 \times 10^{-4} = 1.01 \times 10^{-3}$

1

Concentration = moles / volume (in dm^3)

$= 1.01 \times 10^{-3} \times 1000 / 25 = 4.04 \times 10^{-2}$ (mol dm^{-3})

If 1:1 ratio or incorrect ratio used, M2 and M4 can be scored

1

[15]

Downloaded from www.merit-minds.com