Name of the Student:_____
Max. Marks : 27 Marks **Time : 27 Minutes**

Mark Schemes

Q1.

(a) 12 (kPa)

1

pp = mole fraction × total pressure **or** mole fraction = 12/104

1

= 0.115

(allow 0.12)

1

(b) 68 (kPa)

1

(c) $K_p = \dfrac{(pSO_3)^2}{(pSO_2)^2 \times (pO_2)}$

(If K_p wrong, allow consequential units only)
(penalise square brackets in expression but then mark on)

1

$= \dfrac{68^2}{24^2 \times 12}$

1

= 0.669

(Allow 0.67)
(Allow full marks in calculation consequential on their values in (a) and (b))

1

kPa^{-1}

1

(d) T_2

(Must be correct to score any marks in this section)

1

<u>Exothermic</u>

1

Reduce T to shift equilibrium to the right
or forward reaction favoured by low T
or K_p increases for low T
or low T favours exothermic reaction

Downloaded from www.merit-minds.com

1

(e) Increase

1

None

1

[13]

Downloaded from www.merit-minds.com

Q2.

(a) $K_p = \frac{P_{SO_2} \times P_{Cl_2}}{P_{SO_2Cl_2}}$ **(1)**

1

(b) 0.25 + 0.75 + 0.75 = 1.75 **(1) (1)**

2

(c) (i) *p* = Total pressure × mol fraction **(1)**

(ii) *Partial of SO_2Cl_2*: $125 \times \frac{0.25}{1.75}$ = 17.9 kPa **(1)**

Partial pressure of Cl_2: $125 \times \frac{0.75}{1.75}$ = 53.6 kPa **(1) (1)**

5

(d) $K_p = \frac{53.6 \times 53.6}{17.9}$ **(1)** = 161 **(1)** kPa **(1)**

3

(e) *Effect on K_p*: increase **(1)**
Explanation: increase T sends equilibrium in endothermic direction **(1)**

2

(f) no effect **(1)**

1

Notes

(a) If K_p has [ ] lose mark in (a) but allow full marks in (d)

If K_p wrong/upside down etc, allow max 2 in (d) for substitution of numbers **(1)** and consequential units **(1)**

(b) Mark for moles of SO_2Cl_2 can be scored in part (c) (ii) if not gained in (b)

1.75 get **(2)**

If moles of SO_2Cl_2 = 1, this is a Chemical Error, hence a 2 mark penalty

- If total moles given in (b) = 1.75, this scores [2] in (b); but if the no moles of SO_2Cl_2 = 1 in (c)(ii), lose both marks in (c)(ii) for pp of SO_2Cl_2 = (1/1.75) × 125, i.e. the 2 mark penalty is in (c)(ii).
- If total moles given in (b) = 2.5, score zero in (b), but can gain full marks in (c)(ii) consequentially, i.e. the 2 mark penalty is in (b).
- If moles of SO_2Cl_2 = 1 and total in (b) does not equal 2.5, still lose both in (b) but can get all 4 conseq in (c)(ii) for 1/x etc and 0.75/x etc

(c) (i) Allow "Total pressure = sum of partial pressures" for **(1)** or $p_A = x_A \times p_{tot}$

(ii) First mark is for mole fraction.
If either number in either mole fraction is not consequential on (b), then lose both marks for that partial p.

(d) If pCl_2 is not equal to pSO_2 or any number used in K_p is not conseq on (c)(ii),

Downloaded from www.merit-minds.com

allow units only

SIG FIGS; must be 3 sig figs in (b) but then allow 2 sig figs in (c) and (d);
(ignore extra figs) but penalise incorrect rounding

(e) If effect wrong, no marks for explanation.
If effect missing, e.g. answer states “equm shifts to right”, mark on.
In the explanation, the word “endothermic” (or its equivalent) is essential.

[14]

Downloaded from www.merit-minds.com