Name of the Student:_____
Max. Marks : 25 Marks **Time : 25 Minutes**

Mark Schemes

Q1.

(a) 1. Splitting / breakdown / hydrolysis of ATP;
2. (Muscle) contraction requires energy / ATP;

Accept 'uses energy'. Reject idea of 'movement' of muscles requiring energy.

Reject suggestion that 'energy is produced'.

3. Use of ATP by myosin.

Accept a reference to any use of ATP by myosin. No credit for any further detail.

2 max

(b) Fast because (lots of) ATPase allows rapid **hydrolysis** of ATP
OR
Slow because (lots of) ATPase allows rapid **synthesis** of ATP.

Accept either approach as some texts refer to ATPase as the enzyme at the end of the ETC in mitochondria.

1

(c) 1. Need light to see colour / brown / yellow;

Requires reference to light.

2. Cannot see colour / brown / yellow with electrons / an electron microscope;

Requires reference to electrons / electron microscope.

Accept 'see black and white with electrons / electron microscope'.

3. No organelles are visible.

Accept appropriate named examples of organelles.

2 max

[5]

Downloaded from www.merit-minds.com

Q2.

(a) 1. Fields of view randomly chosen;
2. Several fields of view;
3. All same <u>species</u> (of animal / hamster);

Reject general statements related to sample size. All mark points relate directly to information provided in Resource A.

Accept 'all (Mesocricetus) auratus'.

4. Same muscle / organ used / only diaphragm used;
5. Used at least 8 (animals) in each (age) group.

4 max

(b) (i) 15

Correct answer = 2 marks.

Allow 1 mark for showing

69 ÷ 4.6

OR

answer of 10 / 10.1 (correct calculation using fast in error.)

2

(ii) 1. (Calculation) used mean (number of capillaries);
2. Variation in number of capillaries per fibre.

*Note: maximum of **1** mark for this question.*

Ignore reference to an anomaly or calculation errors.

1 max

(c) (i) (Removing diaphragm means) animals / hamsters are killed.

1

(ii) 1. (Suggests) significant (difference) between young and adult;

MP1, MP2, MP4 and MP5 can include use of figures but check figures are used correctly.

2. (Suggests) not significant (difference) between adult and old;

Statements related to 'results being significant / not significant' do not meet the marking points. It is the difference that is significant or not. However, only penalise this error once.

3. For slow **and** fast fibres;

This MP can be given in the context of either MP1 or MP2 but only allow once. As well as this context there must be a reference to 'both' types of fibre.

4. (Suggests) significant (difference) between young and old for <u>fast</u> (fibres)
OR
(Suggests) not significant (difference) between young and old for <u>slow</u> (fibres);

All aspects of either approach required to gain credit.

5. (Suggests) significant (difference) where means ± SD do not overlap
OR
(Suggests) not significant (difference) where means ± SD overlap;

All aspects of either approach required to gain credit.

6. Stats test is required (to establish whether significant or not).

4 max

[12]

Downloaded from www.merit-minds.com

Q3.

(a) (i) (Group) 5 / marathon runners.

Must only include this group and no other.

1

(ii) 1. (5 / marathon runners) have highest percentage of slow fibres;

*Maximum of **1** mark if the wrong fibres have been identified.*

2. (Slow fibres) use aerobic respiration / aerobic respiration occurs in mitochondria;

Either approach requires identification of aerobic respiration.

3. (Slow fibres) best for endurance / long periods of exercise / to avoid fatigue.

2 max

(b) 1. No (overall) change in number of fibres;

Reject any suggestion of an increase in number of fibres.

2. Increase in diameter of fibres;

'Size' without qualification is insufficient.

3. (Due to) training / exercise;
4. (Long-distance) cyclists have more / higher percentage of slow fibres (than fast);

A comparison is required to meet this MP.

5. Slow fibres of wider diameter than fast fibres;
6. (Long-distance) cyclists have more mitochondria;
7. (Long-distance) cyclists have more capillaries (in muscles).

Idea of 'more' (than non-athletes) is required to gain credit.

Accept converse (for non-athletes) in MP4, MP6 and MP7.

3 max

(c) 1. Weightlifting favoured by / weightlifters have a high proportion of fast / low proportion of slow fibres
OR
Weightlifters have more fast / fewer slow fibres than non-athletes;
But (cannot tell because):

Reward for general statement or comparison with non-athletes.

For 'proportion', accept percentage (or idea of a ratio).

2. Do not know what 'weightlifters' (tested) were born with / had before started weightlifting / training
OR
Don't know if there has been a change (in proportion due to weightlifting / training);

3. No information about age / gender / number of weightlifters (in sample).

For this MP, accept another relevant factor that might affect 'weightlifter' e.g. weights lifted, sex, diet, ethnicity, country of birth.

Ignore general statements about 'other factors'.

2 max

[8]

Downloaded from www.merit-minds.com