Practice Question Set For A-Level
Subject : Chemistry
Paper-2 Topic: Introduction To Organic Chemistry

Merit Minds
www.merit-minds.com
Exam Preparation and Free Resources

Name of the Student:_____
Max. Marks : 27 Marks **Time : 27 Minutes**

Mark Schemes

Q1.

(a) Electrophilic substitution

Both words needed
Ignore minor misspellings

1


(b) (i) Sn / HCl
OR H_2 / Ni **OR** H_2 / Pt **OR** Fe / HCl **OR** Zn / HCl **OR** $SnCl_2$ / HCl

Ignore conc or dil with HCl,
Allow (dil) H_2SO_4 but not conc H_2SO_4
Not allow HNO_3 or H^+
Ignore NaOH after Sn / HCl
Ignore catalyst

1

(ii) $CH_3C_6H_4NO_2 + 6[H] \rightarrow CH_3C_6H_4NH_2 + 2H_2O$

OR



Allow molecular formulae as structures given
$C_7H_7NO_2 + 6[H] \rightarrow C_7H_9N + 2H_2O$
Qu states use [H], so penalised $3H_2$

1

(iii) making dyes

OR making quaternary ammonium salts

OR making (cationic) surfactants

OR making hair conditioner

OR making fabric softener


OR making detergents

1

(c)

Downloaded from www.merit-minds.com

M2



M3

NO Mark for name of mechanism

Allow SN1

M1 for lone pair on N and arrow to C or mid point of space between N and C

M2 for arrow from bond to Br

M3 for structure of protonated secondary amine

M4 for arrow from bond to N or + on N

For M4: ignore RNH_2 or NH_3 removing H^+ but penalise Br^-

4

(d) <u>lone or electron pair on N</u>

If no mention of lone pair CE = 0

If lone pair mentioned but not on N then lose M1 and mark on

M1

1

in **J** spread / delocalised into ring (or not delocalised in K)

Ignore negative inductive effect of benzene

*Allow interacts with **Π** cloud for M2*

M2

1

less available (for protonation or donation in **J**)

M3

OR

in **K** there is a positive inductive effect / electron releasing)

M2

more available (for protonation or donation in **K**)

M3

1

[11]

Downloaded from www.merit-minds.com

Q2.

(a) Crude oil **OR** petroleum

Not petrol.

1

Fractional distillation / fractionation

Not distillation alone.

1

(b) $C_{12}H_{26} + 12.5O_2 \longrightarrow 12CO + 13H_2O$

Allow balanced equations that produce CO_2 in addition to CO.

Accept multiples.

1

(c) (i) M1 Nitrogen and oxygen (from air) <u>react / combine</u> / allow a correct equation

If nitrogen from petrol / paraffin / impurities CE = 0 / 2.

1

M2 at high temperatures

Allow temperatures above 1000 °C or spark.

Not just heat or hot.

M2 dependent on M1.

But allow 1 mark for nitrogen and oxygen together at high temperatures.

1

(ii) $2NO + O_2 \longrightarrow 2NO_2$

Allow multiples.

1

(iii) $4NO_2 + 2H_2O + O_2 \longrightarrow 4HNO_3$

Allow multiples.

1

(d) (i) C_nH_{2n+2}

Allow C_xH_{2x+2}

CnH2n+2

Allow CxH2x+2

1

(ii) $C_{12}H_{26} \longrightarrow C_6H_{14} + C_6H_{12}$

Only.

1

C_3H_7

Only.

1

Zeolite / aluminosilicate(s)

Ignore aluminium oxide.

1

(iii) Larger molecule / longer carbon chain / more electrons / larger surface area

1

More / stronger <u>van der Waals' forces between molecules</u>

Allow dispersion forces / London forces / temporary induced

Downloaded from www.merit-minds.com

dipole-dipole forces <u>between molecules.</u>
If breaking bonds, CE = 0 / 2.

1

(e) 2,2,3,3,4,4-hexamethylhexane

Only.
Ignore punctuation.

1

Chain

Ignore branch(ed).

1

(f) Cl_2

Only.

Cl–Cl

Not CL_2 or Cl2 or CL2 or Cl^2 or CL^2.
Ignore Chlorine.

1

[16]

Downloaded from www.merit-minds.com