Practice Question Set For A-Level
Subject : Chemistry
Paper-2 Topic: Alkenes

Merit Minds
www.merit-minds.com
Exam Preparation and Free Resources


Name of the Student:_____
Max. Marks : 23 Marks **Time : 23 Minutes**

Mark Schemes

Q1.

(a) Alkenes

1



Correctly drawn molecule of cyclobutane or methyl cyclopropane, need not be displayed formula

1

(b) C_6H_{14} (or correct alkane structure with 6 carbons)

Allow hexane or any other correctly named alkane with 6 carbons

1

(c) Poly(but-2-ene)

1

(d) High pressure

Allow pressure □ MPa

Mention of catalyst loses the mark

1

(e) This question is marked using levels of response. Refer to the Mark Scheme Instructions for Examiners for guidance on how to mark this question.

Level 3

All stages are covered and the explanation of each stage is generally correct and virtually complete.

Answer communicates the whole process coherently and shows a logical progression from stage 1 and stage 2 (in either order) to stage 3.

5–6 marks

Level 2

All stages are covered but the explanation of each stage may be incomplete or may contain inaccuracies OR two stages are covered and the explanations are generally correct and virtually complete.

Downloaded from www.merit-minds.com

Answer is mainly coherent and shows progression. Some steps in each stage may be out of order and incomplete.

3–4 marks

Level 1

Two stages are covered but the explanation of each stage may be incomplete or may contain inaccuracies, OR only one stage is covered but the explanation is generally correct and virtually complete.

Answer includes isolated statements but these are not presented in a logical order or show confused reasoning.

1–2 marks

Level 0

Insufficient correct chemistry to gain a mark.

0 marks

Indicative chemistry content

Stage 1*: consider effect of higher temperature on yield*

(Or vice versa for lower temperature)

- *Le Chatelier's principle predicts that equilibrium shifts to oppose any increase in temperature*
- *Exothermic reaction, so equilibrium shifts in endothermic direction / to the left*
- *So a Higher T will reduce yield*

Stage 2*: consider effect of higher temperature on rate*

(Or vice versa for lower temperature)

- *At higher temperature, more high energy molecules*
- *more collisions have E>Ea*
- *So rate of reaction increases / time to reach equilibrium decreases*

Stage 3*: conclusion*

Industrial conditions chosen to achieve (cost-effective) balance of suitable yield at reasonable rate

[11]

Downloaded from www.merit-minds.com

Q2.

(a) Measured volume would be greater

1

Level in burette falls as tap is filled before any liquid is delivered

1

(b) Drop sizes vary

Allow percentage error for amount of oil will be large as the amount used is so small

1

(c) Use a larger single volume of oil

1

Dissolve this oil in the organic solvent

1

Transfer to a conical flask and make up to 250 cm^3 with more solvent

1

Titrate (25 cm^3) samples from the flask

1

(d) Stage 1

Mass of oil = $0.92 \times (5.0 \times 10^{-2} \times 5) = 0.23$ (g)

1

Mol of oil = $0.23 / 885 = 2.6 \times 10^{-4}$

1

Extended response calculation

To gain 4 or 5 marks, students must show a logical progression from stage 1 and stage 2 (in either order) to stage 3

Stage 2

Mol bromine = $2.0 \times 10^{-2} \times 39.4 / 1000 = 7.9 \times 10^{-4}$

1

Stage 3

Ratio oil : bromine

2.6×10^{-4} : 7.9×10^{-4}

Simplest ratio = $2.6 \times 10^{-4} / 2.6 \times 10^{-4} : 7.9 \times 10^{-4} / 2.6 \times 10^{-4}$

= 1 : 3

1

Hence, 3 C=C bonds

M5 cannot be awarded unless working for M4 is shown

1

[12]

Downloaded from www.merit-minds.com